Invacare® Pronto® M51[™] with SureStep® (Rehab Version)

Price List and Order Form

Effective April 1, 2007 Revised June 11, 2009



For ease of ordering, contact customer Service Toll Free at:

800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282 **Recent updates are in RED

WWW invocers com

Yes, you can:

10 order Enerature, 800-828-0282		www.iiivacare.com
Company Name		_Account #
Phone	P.O. #	Date
Ship to Name & Address		

Special Note

HCPCS codes are not intended to be, nor should be considered billing or legal advice. Providers are responsible for determining the appropriate billing codes when submitting claims to the Medicare Program and should consult an attorney or other advisor to discuss specific situations in further detail.

FRAME SELECTION

POWER CHAIR TYPE - CONFIGURABLE

☐ M51PR	M51 w/SureStep w/MK _{5TM} NX	
	w/SPJ+ (K0822)	5,454.00
☐ M50SEAT	Pronto M51 Seat Only	740.00

PRE-CONFIGURED STOCK

Save time and money with stock models available for quick shipment!

All M51PR stock models include the following features as standard:

- Semi-Recline Van Seat w/ Solid Seat Pan, High Back, Light Gray Vinyl Note: All stocked M51 (and M41) seats swivel, have a center post seat mount, and are interchangeable.
- U1 Batteries Installed
- Full Length, Adjustable Height Arms
- Flat Free Tires
- Flip-Up Footboard
- MK5 NX controller with SPJ+ Joystick
- Push-Button Style Seat Positioning Strap

Stock Model Numbers with Semi-Recline Van Seat w/ Solid Seat Pan:

☐ M51PRSOLID16R	16"W x 16"D, Red (K0822)5,986.00
☐ M51PRSOLID16B	16"W x 16"D, Blue (K0822)5,986.00
☐ M51PRSOLIDR	18"W x 18"D, Red (K0822)5,986.00
☐ M51PRSOLIDB	18"W x 18"D, Blue (K0822)5,986.00
☐ M51PRSOLID20R	20"W x 18"D, Red (K0822) 5,986.00
☐ M51PRSOLID20B	20"W x 18"D, Blue (K0822)5,986.00

Note: List Price on M51 stock models already include:

OPTION AND SUGGESTED LIST PRICE

U1 Batteries	Installed on	Chair (E2365)	232.00
Full Length,	Adjustable I	Height Arms (E0973)	230.00

Front Rigging Options for Pre-Configured Stock Models:

	ons for Fre-Configured Stock Models.		
□FRAKH	Front Rigging Attachment Kit	55.00	1
□ PHW93/34P	Swing Away Footrests	165.00	
□ PH904A/U67/	34P Swing-Away Elevating Legrests (E09	990)260.00	

TRANSPORT TIE DOWN

 WILLIAM OILI	TIEDOWN	
TRRO	Transport Ready Option	300.00
TRBKTS	Wheelchair Transport Brackets	250.00

FOOTNOTES

¹ FRAKH required for use with front riggings on stock models.

* Transport Tie Down

TRRO includes four factory-installed transport brackets and a wheelchair anchored pelvic belt. TRRO has been crash-tested in accordance with ANSI/RESNAWCVol 1. Section 19.5.3 Frontal Impact Test requirements for wheelchairs with a 168 lb. crash dummy, which corresponds to a person with a weight of 114 lbs. to 209 lbs.

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets on to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

*Transport Tie Down option is not retrofittable to existing models and is not field serviceable.

SEAT SELECTION

Note: Both ADJASBA and SEMIRB seat styles on model M51PR have a 4-post seat mount for adjustable seat-to-floor height, adjustable seat slope, and can be easily retrofitted with a power tilt kit.

ADJASBA	Seat w/ Adj. Seat Tilt & Back Angle	Standard
SEMIRB	Van Seat - Semi Recline with Solid Base	100.00

ADJUSTABLE ASBA SEAT SELECTIONS

ADJUSTABLE SEAT WIDTH RANGE □ 1620W 16" to 20" Seat Width Range......No Charge

SEAT WIDTH			
■ W16	16" Seat Width	No Charge	
■ W17	17" Seat Width	No Charge	
■ W18	18" Seat Width	No Charge	
■ W19	19" Seat Width	No Charge	
□ W20	20" Seat Width	No Charge	
AD HIGHADI E CEAT DEDUH DANCE			

ADJUSTABLE SEAT DEPTH RANGE

■ 1619D	16" to 19" Seat Depth Range	No Charge
□ 1920D	19" to 20" Seat Depth Range	No Charge

SEAT DEPTH

□ D16	Seat Depth 16"	Standard
□ D17	Seat Depth 17"	No Charge
□ D18	Seat Depth 18"	
□ D19	Seat Depth 19"	
□ D20	Seat Depth 20"	

Invacare® Pronto® M51[™] with SureStep® (Rehab Version) Accessories and Options

LIDITOL CER	DV GOV ODG	
UPHOLSTE □ U240	RY COLORS Plack Nulser Unhalatory No Change	
□ L8601	Black Nylon Upholstery	POSITIONING STRAPS
☐ RBP	Reinforced Back UpholsteryNo Charge	CHECK DOCKELONING CED / DC
SEAT BACK	7 TVDF	CHEST POSITIONING STRAPS 7311BK Airline Buckle Chest Pos. Strap. (E0960)
□ SECT	Sectional Rear UprightsNo Charge	☐ 7311BK Airline Buckle Chest Pos. Strap (E0960)
■ SECT	Sectional Real Optights10 Charge	☐ 7321BK Hook & Loop Chest Pos. Strap (E0960)
SEAT BACE		
□ BH16	Back Depth 16"	
□ BH17□ BH18	Back Depth 17"	SEAT POSITIONING STRAPS
□ BH19	Back Depth 19"	☐ 1515 Push Button Style Seat Positioning Strap Standard
□ BH20	Back Depth 20"	☐ 1311BK Airline Buckle Seat Positioning Strap 50.00
ARM TYPE	(PAID) ³	
□ 28F	Desk Length Fixed Height Conv Standard	DRIVE WHEEL TYPE
□ 29F	Desk Length Adj Height Conv. (E0973)230.00	DRIVE WILLE THE
□ 18F	Full Length Fixed Height ConvNo Charge	DRIVE WHEELS
□ 19F	Full Length Adj Height Conv. (E0973)230.00	□ DW10535 10½ "x 3½" Pneumatic Tires Standard 4
MIXED HE	IGHT ADJUSTABLE ARMS (EACH) 3	□ DW10535FF 10½ "x 3½" Flat Free TiresNo Charge
☐ 19FR	Full Length Adj. Height Right. (E0973)115.00	
□ 29FR	Desk Length Adj. Height Right. (E0973)	
□ 19FL □ 29FL	Full Length Adj. Height Left. (E0973)115.00 Desk Length Adj. Height Left. (E0973)115.00	COLORS
		COLORS
ARM ACCE		SHROUD COLORS
□ L8401	Omit Arms Less 20.00	□ RD Candy Red PearlNo Charge
□ L8405	Omit Arm PadsLess 10.00	□ BL Deep Blue PearlNo Charge
		BATTERY OPTIONS
VAN	SEAT – WITH SOLID SEAT PAN	INCTALL ATION OF DATTEDIES
WAN LIDILO	I CTEDY	INSTALLATION OF BATTERIES ☐ U1INSTAL U1 Battery Install (On Chair)(1 pair)(E2365) 232.00
VAN UPHO	Grey VinylNo Charge	Through the control of bandy mistan (On Chair) (1 pair) (12303) 232.00
	, ,	
	WIDTH AND DEPTH	
□ VW16	16" Wide Van Seat	ACCESSORIES
□ VD16 □ VD17	16" Depth No Charge 17" Depth No Charge	Machini Among Accessorum
□ VD18	18" Depth	MISCELLANEOUS ACCESSORIES LESTR Lester 8 Amp Battery Charger (E2367)
		□ LESTR Lester 8 Amp Battery Charger (E2367)320.00 □ 1831M6 MK6i Programmer350.00
□ VW18	18" Wide Van Seat Standard	□ VANO2 Oxygen Holder (Solid Base Van Seat) (E2208) 150.00
□ VD16 □ VD17	16" Depth	□ 1209 Tire Pump35.00
□ VD17	18" Depth	☐ SEATO2 Oxygen Holder (ASBA Seat Only) (E2208) 150.00 ⁵
	- v r	☐ HFO2-ML6 Home Fill O2 Holder ML6 Only (K0104) 150.00 ⁶
		, , , , , , , , , , , , , , , , , , , ,
□ VW20	20" Wide Van Seat	, , , , , , , , , , , , , , , , , , ,
□ VD18	18" DepthNo Charge	, , , , , , , , , , , , , , , , , , ,
□ VD18 □ VD19	18" DepthNo Charge19" DepthNo Charge	
□ VD18 □ VD19 □ VD20	18" Depth No Charge 19" Depth No Charge 20" Depth 329.00	JOYSTICK MOUNTING HARDWARE
□ VD18 □ VD19 □ VD20 ARM TYPE	18" Depth No Charge 19" Depth No Charge 20" Depth 329.00 VAN	
□ VD18 □ VD19 □ VD20 ARM TYPE □ VAH	18" Depth No Charge 19" Depth No Charge 20" Depth 329.00 VAN Full Length Adjustable Height (E0973) 230.00	JOYSTICK MOUNTING HARDWARE JOYSTICK MOUNTING LEFT Left Hand Mounted Joystick
□ VD18 □ VD19 □ VD20 ARM TYPE	18" Depth	JOYSTICK MOUNTING HARDWARE JOYSTICK MOUNTING
□ VD18 □ VD19 □ VD20 ARM TYPE □ VAH □ VFH	18" Depth No Charge 19" Depth No Charge 20" Depth 329.00 VAN Full Length Adjustable Height (E0973) 230.00	JOYSTICK MOUNTING HARDWARE JOYSTICK MOUNTING LEFT Left Hand Mounted Joystick

FOOTNOTES

² Not available with TRRO.

³ Arms are flip-up and detachable.

FOOTNOTES4 Must select DW10535FF drive wheels when selecting TRRO.

⁵ Only one option can be used at one time.

⁶ Available on the Van Seat-With Solid Seat Pan option only.

Invacare[®] Pronto[®] M51[™] with SureStep[®] (Rehab Version)

Accessories and Options

FRONT RIGGING OPTIONS

	OTBOARD 90FB L90FB	Footboard	
FO	OTREST/LEC	GREST (HEMI)	
_	PHW93	Swingaway Footrests 13½"– 19"	
	PH904A	Swingaway ELR 16" – 19¾'" (E0990)	
	PHAL4A	Smartleg [®] Art. Legrests 17 ¹ / ₄ " – 21 ¹ / ₂ " (K0053) 225.00	
FO	OTPLATE OI	PTIONS	
_	1350	Extra Large Aluminum Footplates115.00	
_	1450	Aluminum Footplates DeluxeNo Charge	
	1650	Aluminum Footplates	
	1651	Composite Flip Up FootplatesNo Charge	
	AT5543	Adjustable Angle Flip Up Footplates165.00	
FO	FOOTREST/LEGREST ACCESSORIES		
	LPT2	Longer Pivot Slide Tube For 135083.00	
	A1337	Calf Strap (K0038)27.00	
	IMPACTG	Impact Guards51.00	
	ALPT	Longer Pivot And Slide Tube84.00	
	ALPT4	Longer Pivot And Slide Tube 4"84.00	
		5 STAR SERVICE PLAN	
5 S	TAR SERV	VICE PLAN	
- 5	□ 5STAR1	Invacare 5 Star Service Plan - Provides	

Specifications	ADJASBA	Van Seat w/Solid Base
DIMENSIONS		
Lengths (w./Footboard folded)	34"	34"
Lengths (w./Footboard down)	38" - 40"	38" - 40"
Widths (excluding Joystick)	24"	24"
Heights *	35"-37"	35" - 37"
Widths	16" - 20"	16" - 20"
Depths	16" - 20"	16", 18", 20"
Back Ht w/o Headrest	16" - 20"	19"
Seat to Floor Heights	18"-20"	19" - 21"
	(seat pan to floor)	
Weight		
With Batteries	192 lbs.	198 lbs.
Without Batteries	145 lbs.	151 lbs.
Wheel and Caster Sizes		
Front Casters	6" x 2"	6" x 2"
Drive Wheels	10.5" x 3.5"	10.5" x 3.5"
Rear Casters	6" x 2"	6" x 2"
Maximum Speed	4.25 mph	4.25 mph
Incline Capability	9	9
Weight Capacity	300 lbs.	300 lbs.
Turning Radius		
Front (w/footboard down)	19.5"	19.5"
Rear	19.5"	19.5"
Ground Clearance	2.6"	2.6"
Warranties	See Owner's	See Owner's
	Manual	Manual

SEATING & POSITIONING

all warranty & non-warranty service

for a one-time flat rate......150.00

FOR YOUR SEATING NEEDS PLEASE REFER TO THE FOLLOWING:

REHAB SEATING & POSITIONING PRODUCTS See Price List Form 07-027



Invacare Corporation USA

One Invacare Way Elyria, OH USA 44035-4190 800-333-6900

www.invacare.com

All rights reserved. Trademarks are identified by the symbols TM and ®. All trademarks are owned by or licensed to Invacare Corporation unless otherwise

Specifications and prices are subject to change without notification.

©2009 Invacare Corporation